

# adding and subtracting algebraic expressions

**Adding and subtracting algebraic expressions** are fundamental operations in algebra that form the basis for solving more complex mathematical problems. These operations involve combining like terms, which are terms that have the same variable raised to the same power. Understanding how to add and subtract algebraic expressions is essential for students and anyone involved in mathematics, as it serves as a stepping stone to more advanced concepts such as factoring, solving equations, and working with polynomials. This article will explore the principles behind adding and subtracting algebraic expressions, provide step-by-step instructions, and offer examples to reinforce understanding.

## Understanding Algebraic Expressions

Before diving into the processes of addition and subtraction, it is crucial to understand what an algebraic expression is. An algebraic expression is a combination of numbers, variables, and operations. For example,  $(3x + 5y - 2)$  is an algebraic expression where:

- $(3x)$  is a term with a coefficient of 3 and a variable  $(x)$ .
- $(5y)$  is another term with a coefficient of 5 and a variable  $(y)$ .
- $(-2)$  is a constant term.

## Components of Algebraic Expressions

Algebraic expressions consist of several key components:

1. **Terms:** The individual parts of an expression separated by addition or subtraction signs. For example, in  $(4a + 3b - 2c)$ , the terms are  $(4a)$ ,  $(3b)$ , and  $(-2c)$ .
2. **Coefficients:** The numerical factors in a term. In  $(5x)$ , the coefficient is 5.
3. **Variables:** The letters that represent unknown quantities. For instance, in  $(2x + 3y)$ ,  $(x)$  and  $(y)$  are variables.
4. **Constants:** Fixed values that do not change. In the expression  $(7x + 4)$ , the number 4 is a constant.

## Adding Algebraic Expressions

Adding algebraic expressions involves combining like terms to simplify the

expression. Like terms are terms that have the same variable raised to the same power.

## Steps to Add Algebraic Expressions

To add algebraic expressions, follow these steps:

1. Identify Like Terms: Look for terms with the same variable and exponent.
2. Combine Like Terms: Add the coefficients of the like terms together.
3. Write the Result: Rewrite the expression with the combined like terms.

## Example of Adding Algebraic Expressions

Let's add the following algebraic expressions:

$$\begin{aligned} &[(3x + 4) + (5x - 6)] \end{aligned}$$

Step 1: Identify like terms.

- Like terms:  $(3x)$  and  $(5x)$  are like terms.
- The constants  $(4)$  and  $(-6)$  are also like terms.

Step 2: Combine like terms.

- For the  $(x)$  terms:  $(3x + 5x = 8x)$
- For the constant terms:  $(4 - 6 = -2)$

Step 3: Write the result.

The final result is:

$$\begin{aligned} &[8x - 2] \end{aligned}$$

## Subtracting Algebraic Expressions

Subtracting algebraic expressions follows a similar process to addition but requires careful attention to the signs.

# Steps to Subtract Algebraic Expressions

To subtract algebraic expressions, follow these steps:

1. Rewrite the Expression: Change the subtraction into addition by distributing the negative sign.
2. Identify Like Terms: Look for terms with the same variable and exponent.
3. Combine Like Terms: Subtract the coefficients of the like terms.
4. Write the Result: Rewrite the expression with the combined like terms.

## Example of Subtracting Algebraic Expressions

Let's subtract the following algebraic expressions:

$$\begin{aligned} & \backslash[ \\ & (7y + 2) - (3y - 5) \\ & \backslash] \end{aligned}$$

Step 1: Rewrite the expression.

Change the subtraction to addition by distributing the negative sign:

$$\begin{aligned} & \backslash[ \\ & 7y + 2 - 3y + 5 \\ & \backslash] \end{aligned}$$

Step 2: Identify like terms.

- Like terms:  $\backslash(7y\backslash)$  and  $\backslash(-3y\backslash)$ .
- The constant terms  $\backslash(2\backslash)$  and  $\backslash(5\backslash)$  are also like terms.

Step 3: Combine like terms.

- For the  $\backslash(y\backslash)$  terms:  $\backslash(7y - 3y = 4y\backslash)$
- For the constant terms:  $\backslash(2 + 5 = 7\backslash)$

Step 4: Write the result.

The final result is:

$$\begin{aligned} & \backslash[ \\ & 4y + 7 \\ & \backslash] \end{aligned}$$

# Common Mistakes in Adding and Subtracting Algebraic Expressions

When adding and subtracting algebraic expressions, common mistakes can lead to incorrect results. Here are some pitfalls to avoid:

- Ignoring Signs: Failing to pay attention to the signs of terms can lead to incorrect calculations.
- Combining Unlike Terms: Adding or subtracting terms that do not share the same variable and exponent will result in errors.
- Forgetting to Distribute the Negative Sign: When subtracting, it's essential to distribute the negative sign correctly to all terms in the expression being subtracted.

## Practice Problems

To reinforce your understanding, try solving the following practice problems:

1.  $(2a + 3b) + (4a - b)$
2.  $(5x - 7) - (2x + 3)$
3.  $(6m + 4n - 2) + (3m - 5n + 8)$
4.  $(8p - 3) - (4p + 6)$

Answers:

1.  $6a + 2b$
2.  $3x - 10$
3.  $9m - n + 6$
4.  $4p - 9$

## Conclusion

In conclusion, adding and subtracting algebraic expressions is a key skill that forms the foundation of algebra. By understanding the components of algebraic expressions and following systematic steps to combine like terms, students can simplify expressions effectively. Regular practice with a variety of problems will reinforce these skills and build confidence in handling more complex algebraic concepts. Whether solving equations, working with polynomials, or tackling real-world problems, the ability to manipulate algebraic expressions is an invaluable tool in mathematics.

## Frequently Asked Questions

### What is the first step in adding the algebraic expressions $3x + 5$ and $2x + 4$ ?

The first step is to combine like terms, which means adding the coefficients of the  $x$  terms and the constant terms together.

### How do you subtract the algebraic expression $(4x^2 + 3x - 5)$ from $(2x^2 - x + 6)$ ?

To subtract the expressions, change the signs of the second expression and then combine like terms:  $(2x^2 - x + 6) - (4x^2 + 3x - 5)$  becomes  $-2x^2 - 4x + 11$ .

### What are like terms in algebraic expressions?

Like terms are terms that have the same variable raised to the same power, such as  $2x$  and  $5x$  or  $3y^2$  and  $-4y^2$ .

### Can you add or subtract expressions with different variables?

No, you cannot combine terms with different variables directly. You can only add or subtract like terms.

### If I have the expression $7a + 2b - 3a + 6b$ , how do I simplify it?

Combine like terms:  $(7a - 3a) + (2b + 6b) = 4a + 8b$ .

### What is the result of adding $5x - 3$ and $-2x + 4$ ?

Combine like terms:  $(5x - 2x) + (-3 + 4) = 3x + 1$ .

### When subtracting the expression $8y + 2$ from $3y - 4$ , what is the result?

Change the signs of the second expression and combine like terms:  $(3y - 4) - (8y + 2) = 3y - 4 - 8y - 2 = -5y - 6$ .

## [Adding And Subtracting Algebraic Expressions](#)

## Related Articles

- [algebra 1 houghton mifflin harcourt](#)
- [algebra 2 questions and answers](#)
- [algebra 2 equations examples](#)

[Back to Home](#)